

## Cleanmeleon 2 without hydraulic

- > easy to use for every user, extremely agile
- > multifunctional use with many available attachments
- > available with an changing swing arm for attaching various attachments or as a fixed scraper
- > extreme work relief in agriculture for cleaning work in the barn



**Improved hygiene for better animal welfare.**

GXV 160 without hydraulic		GXV 390 without hydraulic	
GXV 160 Honda	Engine (Petrol)	GXV 390 Honda	
82 dB	Volume	82 dB	
3,2 KW	Power	7,6 KW	
hydrostatic	Drive	hydrostatic	
6 km/h	Speed	6 km/h	
hand start	Start	electric start	
without	Hydraulic	without	
no	Hydraulic power	no	
rear wheel steering	Steering	rear wheel steering	
approx. 200 kg (additional weights possible as required)	Weight	approx. 225 kg (additional weights possible as required)	
L = 1800 mm, W = 770 mm, H = 1070 mm	Size	L = 1800 mm, W = 770 mm, H = 1070 mm	
5 mm galvanized	Chassis	5 mm galvanized	
AS tires 16 x 6.50-8	Tires	AS tires 16 x 6.50-8	
mechanically possible	Lifting of attachments	mechanically possible	
incl. operating hours counter	Lighting	incl. operating hours counter	
scraper, pushing shield, snow plough	Accessory	scraper, pushing shield, snow plough	
	Mounting options		

(Technical data is approximate and non-binding.)



**Various attaching machines  
for self-drivers available**



## Attaching machines for self-drivers: Radial sweeper

### Radial sweeper R 900 | R 900-E



- working width 900 mm
- robust, stable bristles for moving large quantities of debris
- thanks to the special bristle angle, it gets into every corner
- direction of rotation can be flexibly controlled (right/left)
- easy change of the bristle set

**Available for:**

- Cleanmeleon 2 Electric
- Cleanmeleon 2 with hydraulic

### Radial sweeper R 1000



- working width 1000 mm
- for sweeping large quantities of debris
- thanks to the special bristle angle, it gets into every corner
- direction of rotation can be flexibly controlled (right/left)
- bristle set can be changed quickly by using screws
- side plate available

**Available for:**

- Cleanmeleon 2 with hydraulic
- Cleanmeleon 2 PRO
- Cleanmeleon 2 XL

### Segment sweeper WSB 1400



- working width 1400 mm
- easy construction, very low maintenance
- Segments can be inserted variably (e.g. PPN-wire-PPN...)
- Segments can be easily expanded and exchanged
- Right / left rotation adjustable
- sweeping possible up to 15 km/h driving speed

**Available for:**

- Cleanmeleon 2 PRO

## Attaching machines for self-drivers: Large area cleaning

### Axial sweeper AX 900 | AX 900-E



- working width 900 mm
- overhead sweeping principle with pendularly suspended roller brush
- leading roll-off lip guides the debris to the roller brush
- AX 900 expandable with up to two additional side brushes
- AX 900-E expandable with one additional side brush

**Available for:**

- Cleanmeleon 2 Electric
- Cleanmeleon 2 with hydraulic

### Axial sweeper AX 1200



- working width 1200 mm
- overhead sweeping principle with pendularly suspended roller brush
- leading roll-off lip guides the debris to the roller brush
- AX 1200 expandable with up to two additional side brushes
- Sloping left / right for free sweeping possible (only with raised foam roller)

**Available for:**

- Cleanmeleon 2 PRO

### Snow plough



- working width 1600 mm
- with robust protective edge
- can be swiveled to the left and right
- pushes both snow and dirt

**Available for:**

- Cleanmeleon 2 Electric
- Cleanmeleon 2 without hydraulic
- Cleanmeleon 2 with hydraulic
- Cleanmeleon 2 PRO
- Cleanmeleon 2 XL

## Attaching machines for self-drivers: Moss and weed removing

### Radial sweeper R 1000, wire



- working width 1000 mm
- pure wire brush
- excellent and sustainable green removal on paved surfaces when used regularly
- thanks to the special bristle angle, it gets into every corner

**Available for:**

- Cleanmeleon 2 with hydraulic
- Cleanmeleon 2 PRO
- Cleanmeleon 2 XL

### Weed brush WKB 550



- working width 550 mm
- sturdy wire braids remove moss and heavy green growth
- brush arm can be swiveled manually by 180 ° from left to right
- swept up to the edges

**Available for:**

- Cleanmeleon 2 with hydraulic
- Cleanmeleon 2 PRO

### Weed brush WKB 660



- working width 660 mm
- 3 rotating brush holders each with 4 wire braids under the brush container attack the plants from all sides
- floor-protecting work thanks to even pressure distribution
- quick exchange of the wire braids via quick-change system

**Available for:**

- Cleanmeleon 2 PRO

## Attaching machines for self-drivers: Feeding table maintenance

### Radialbesen R 900 | R 1000



- working width 900 mm | 1000 mm
- even large amounts of feed can be moved
- Mold residues and smear layers are reduced

#### Available for:

- Cleanmeleon 2 Electric (only R 900)
- Cleanmeleon 2 with hydraulic
- Cleanmeleon 2 PRO
- Cleanmeleon 2 XL

### Feed auger FA 800



- working width 800 mm
- open windings loosen and upgrade the feed and bring it back to the animals
- mold residues and smear layers are reduced
- can be equipped with an additional side brush

#### Available for:

- Cleanmeleon 2 with hydraulik
- Cleanmeleon 2 PRO
- Cleanmeleon 2 XL

### Lime and feed spreader



- ideal for evenly sprinkling lime
- can also be used as a concentrate feeder
- with dosing opening in the manually swiveling ejector bar

#### Available for:

- Cleanmeleon 2 with hydraulic
- Cleanmeleon 2 PRO

### Pushing shield 80-160



- working width can be flexibly adjusted from 80 - 160 cm by using a perforated strip
- perfect for narrow passages

#### Available for:

- Cleanmeleon 2 Electric
- Cleanmeleon 2 without hydraulic
- Cleanmeleon 2 with hydraulic
- Cleanmeleon 2 PRO
- Cleanmeleon 2 XL

## Attaching machines for self-drivers: Running and lying area maintenance

### Scraper ASS 800 | ASS 800-E • ASS 900 | ASS 900-E • ASS 1200



- working width 800 mm, 900 mm or 1200 mm
- with two rubber lips attached one behind the other
- C-shaped front does not allow rubbish to drift to the side
- Side brush for sweeping the lying surfaces is *optionally* available

#### Available for:

- Cleanmeleon 2 Electric
- Cleanmeleon 2 without hydraulic (then only without side brush)
- Cleanmeleon 2 with hydraulic
- Cleanmeleon 2 PRO
- Cleanmeleon 2 XL

### Washer SW 800 • SW 900 • SW1200



- working width 800 mm, 900 mm or 1200 mm
- incl. 150 l water tank, filter, high pressure pump, clearing stars
- adapter for high pressure lance available as an accessory

#### Available for:

- Cleanmeleon 2 with hydraulic
- Cleanmeleon 2 PRO
- Cleanmeleon 2 XL

### Spreader EG 580



- high quality, robust guide wheels
- flexible spreading paddles transport the spreading material out
- self-filling by tilting the container down (using the hydraulic cylinder)
- also available as trailer version

#### Available for:

- Cleanmeleon 2 with hydraulic

### Spreader EG 540



- high quality, robust guide wheels
- flexible spreading paddles transport the spreading material out
- Selbstbefüllen durch Herabkippen der vorderen Schaufel

#### Available for:

- Cleanmeleon 2 PRO
- Cleanmeleon 2 XL